This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented): A compound of formula I



I

in which

D is phenyl which is unsubstituted or mono- or polysubstituted by Hal, A, OR^2, $N(R^2)_2$, NO_2, CN, $COOR^2$, $CON(R^2)_2$ or -C≡CH,

X denotes NR^3 or O,

Y denotes O, S, NH, N-CN or $N-NO_2$,

R^1 denotes H, Ar, Het, or cycloalkyl,

R^1 may also be A which is optionally mono-, di- or trisubstituted by OR^2, SR^2, $S(O)_mR^2$, $SO_2N(R^2)_2$, SO_3R^2, $S(=O)(=NR^2)R^2$, $NR^2SO_2R^2$, OSO_2R^2, $OSO_2N(R^2)_2$, $N(R^2)_2$, CN, $COOR^2$, $CON(R^2)_2$, Ar, Het or cycloalkyl,

E denotes CH,

Z is ethylene,

Z' is ethylene,

Q is absent or denotes O, NR^2, C=O, SO_2 or $C(R^2)_2$,

R^2 denotes H, A, $-[C(R^3)_2]_n$-Ar', $-[C(R^3)_2]_n$-Het', $-[C(R^3)_2]_n$-cycloalkyl, $-[C(R^3)_2]_n-N(R^3)_2$ or $-[C(R^3)_2]_n-OR^3$,

R^3 denotes H or A,

R^4, $R^{4'}$ each, independently of one another, is absent or denote A, OH or OA, or R^4 and $R^{4'}$ together denote methylene or ethylene,

T is cyclohexyl, piperidinyl, piperazinyl, or morpholinyl, which in each case is optionally mono-, di- or trisubstituted by =O, =S, =NH, $=NR^3$, $=NOR^3$, $=NCOR^3$, $=NCOOR^3$, $=NOCOR^3$, R^3, Hal, A, $-[C(R^3)_2]_n$-Ar, $-[C(R^3)_2]_n$-Het, $-[C(R^3)_2]_n$-

cycloalkyl, OR^3, $N(R^3)_2$, NO_2, CN, $COOR^3$, $CON(R^3)_2$, NR^3COA, $NR^3CON(R^3)_2$, NR^3SO_2A, COR^3, SO_2NR^2 and/or $S(O)_nA$,

A denotes unbranched or branched alkyl having 1-10 C atoms, in which one or two CH_2 groups may be replaced by O or S atoms and/or by -CH=CH- groups and/or also 1-7 H atoms may be replaced by F,

Ar denotes phenyl, naphthyl or biphenyl, each of which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR^2, $N(R^2)_2$, NO_2, CN, $COOR^2$, $CON(R^2)_2$, NR^2COA, NR^2SO_2A, COR^2, $SO_2N(R^2)_2$, $-[C(R^3)_2]_n-COOR^2$, $-O-[C(R^3)_2]_o-COOR^2$, SO_3H or $S(O)_nA$,

Ar' denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR^3, $N(R^3)_2$, NO_2, CN, $COOR^3$, $CON(R^3)_2$, NR^3COA, $NR^3CON(R^3)_2$, NR^3SO_2A, COR^3, $SO_2N(R^3)_2$, $S(O)_nA$, $-[C(R^3)_2]_n-COOR^3$ or $-O-[C(R^3)_2]_o-COOR^3$,

Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono-, di- or trisubstituted by carbonyl oxygen (=O), =S, $=N(R^2)_2$, Hal, A, $-[C(R^3)_2]_n-Ar$, $-[C(R^3)_2]_n-Het'$, $-[C(R^3)_2]_n-cycloalkyl$, $-[C(R^3)_2]_n-OR^2$, $-[C(R^3)_2]_n-N(R^3)_2$, NO_2, CN, $-[C(R^3)_2]_n-COOR^2$, $-[C(R^3)_2]_n-CON(R^2)_2$, $-[C(R^3)_2]_n-NR^2COA$, $NR^2CON(R^2)_2$, $-[C(R^3)_2]_n-NR^2SO_2A$, COR^2, $SO_2N(R^2)_2$ and/or $S(O)_nA$,

Het' denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 4 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by carbonyl oxygen, =S, $=N(R^3)_2$, Hal, A, OR^3, $N(R^3)_2$, NO_2, CN, $COOR^3$, $CON(R^3)_2$, NR^3COA, $NR^3CON(R^3)_2$, NR^3SO_2A, COR^3, $SO_2N(R^3)_2$ and/or $S(O)_nA$,

Hal denotes F, Cl, Br or I,

m denotes 1 or 2,

n denotes 0, 1 or 2,

o denotes 1, 2 or 3, and

p denotes 1, 2, 3, 4 or 5,

or a pharmaceutically usable salt thereof, or a stereoisomer thereof, including mixtures thereof in all ratios.

2. (Previously Presented): A compound according to Claim 1, in which D denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR^2 or $COOR^2$.

3. (Previously Presented): A compound according to Claim 1, in which D denotes phenyl which is monosubstituted by Hal.

4. (Previously Presented): A compound according to Claim 1, in which R^2 denotes H or A.

5. (Cancelled):

6. (Previously Presented): A compound according to Claim 1, in which Q is absent or denotes O or CH_2.

7. (Previously Presented): A compound according to Claim 1, in which Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR^2, NR^2COA, SO_2A, SO_2NH_2, $COOR^2$ or CN.

8. (Previously Presented): A compound according to Claim 1, according to Claim 1 in which Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR^3 or NR^3COA.

9. (Previously Presented): A compound according to Claim 1, in which R^1 denotes Ar, Het, cycloalkyl or A, which may be monosubstituted by OR^2.

10. (Previously Presented): A compound according to Claim 1, in which R^1 denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA, a monocyclic aromatic heterocycle having 1 to 2 N, O and/or S atoms, or A, which may be monosubstituted by OR^3.

11. (Previously Presented): A compound according to Claim 1, in which Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O).

12. (Previously Presented): A compound according to Claim 1, in which Y denotes O.

13. (Previously Presented): A compound according to Claim 1, in which X denotes NH or O.

14. (Cancelled):

15. (Cancelled):

16. (Previously Presented): A compound according to Claim 1, in which A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F.

17. (Currently Amended): A compound according to Claim 1, in which

D denotes phenyl which is unsubstituted or mono- or disubstituted by Hal, A, OR^2 or $COOR^2$, ~~or pyridyl which is unsubstituted or monosubstituted by Hal,~~

X denotes NR^3 or O,

Y denotes O,

R^1 denotes Ar, Het, cycloalkyl or A, which may be monosubstituted by OR^2,

E denotes CH,

Q is absent or denotes O or CH_2,

R^2 denotes H or A,

R^3 denotes H or A,

R^4, $R^{4'}$ each, independently of one another, is absent or denote A, OH or OA, or R^4 and $R^{4'}$ together denote methylene or ethylene,

T denotes piperidinyl, piperazinyl, or morpholinyl, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O), or unsubstituted cyclohexyl,

A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F,

Ar denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, A, OR^2, NR^2COA, SO_2A, SO_2NH_2, $COOR^2$ or CN,

Het denotes a mono- or bicyclic saturated, unsaturated or aromatic heterocycle having 1 to 2 N, O and/or S atoms, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O),

Hal denotes F, Cl, Br or I, and

p denotes 1, 2, 3, 4 or 5.

18. (Previously Presented): A compound according to Claim 1, in which

D denotes phenyl which is monosubstituted by Hal,

X denotes NH or O,

Y denotes O,

R^1 denotes phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA, a monocyclic aromatic heterocycle having 1 to 2 N, O and/or S atoms, or A, which may be monosubstituted by OR^3,

E denotes CH,

Q is absent or denotes O or CH_2,

R^2 denotes H or A,

R^3 denotes H or A,

R^4, $R^{4'}$ each, independently of one another, is absent or denote A, OH or OA, or R^4 and $R^{4'}$ together denote methylene or ethylene,

T denotes piperidinyl, piperazinyl, or morpholinyl, which may be unsubstituted or mono- or disubstituted by A or carbonyl oxygen (=O), or
phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, OA or NHCOA, or
unsubstituted cyclohexyl,

A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and

Hal denotes F, Cl, Br or I.

19. (Currently Amended): A compound according to Claim 1, in which

D denotes phenyl which is monosubstituted by Hal,

X denotes NH or O,

Y denotes O,

R^1 denotes thienyl, furyl, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,

or

A, which may be monosubstituted by OR^3,

R^3 denotes H or A,

E denotes CH,

Q is absent or denotes O or CH_2,

R^2 denotes H or A,

R^3 denotes H or A,

R^4, $R^{4'}$ each, independently of one another, is absent or denote A, OH or OA, or R^4 and $R^{4'}$ together denote methylene or ethylene,

T denotes piperidinyl, piperazinyl, 2-oxopiperidin-1-yl, 2-oxopiperidin-4-yl, 3-oxomorpholin-4-yl, morpholin-4-yl, 2,6-dioxopiperidin-1-yl, or 2-oxo-piperazin-1-yl, 2,6-dioxopiperazin1-yl, which in each case is optionally monosubstituted by A, or

~~or~~ unsubstituted cyclohexyl,

A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and

Hal denotes F, Cl, Br or I.

20. (Previously Presented): A compound according to Claim 1, in which

D denotes phenyl which is monosubstituted by Hal,

X denotes NH or O,

Y denotes O,

R^1 denotes thienyl, furyl, phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH or OA,

or

A, which may be monosubstituted by OR^3,

R^3 denotes H or A,

E denotes CH,

Q is absent or denotes O or CH_2,

R^2 denotes H or A,

R^3 denotes H or A,

R^4, $R^{4'}$ is absent, or R^4 and $R^{4'}$ together denote methylene or ethylene,

T denotes piperidin-1- or 4-yl, piperazinyl, morpholin-4-yl,

each of which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O), or

unsubstituted cyclohexyl,

A denotes unbranched or branched alkyl having 1-10 C atoms, in which 1-7 H atoms may be replaced by F, and

Hal denotes F, Cl, Br or I.

21. (Previously Presented): A compound selected from:

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl]-urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl}urea bistrifluoroacetate,

(R,R)-1-(4-chlorophenyl)-3-{2-methoxy-1-[1-(1'-methyl-4,4'-bipiperidinyl-1-yl)-methanoyl]propyl}urea trifluoroacetate,

(R,R)-1-(4-chlorophenyl)-3-(1-{1-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]-methanoyl}-2-methoxypropyl)urea,

(R)-1-(2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea,

(R)-1-[2-4,4'-bipiperidinyl-1-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)-urea,

(R)-1-(2-4,4'-bipiperidinyl-1-yl-2-oxo-1-thiophen-2-ylethyl)-3-(4-chlorophenyl)urea,

(R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea,

(R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl]urea,

1-[2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)-urea,

(R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl]-urea,

(R)-1-(2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea,

(R)-1-(4-chlorophenyl)-3-{1-(4-hydroxyphenyl)-2-[4-(4-methylpiperazin-1-yl)-piperidin-1-yl]-2-oxoethyl}urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl}urea,

(R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea,

(R)-1-(2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-thiophen-2-ylethyl)-3-(4-chlorophenyl)urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-thiophen-2-ylethyl}urea,

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]urea,

(R)-1-(4-chlorophenyl)-3-[2-(4,4'-bipiperidinyl-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]-urea,

(R)-1-(4-chlorophenyl)-3-[1-(2-chlorophenyl)-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,

(R)-1-(4-chlorophenyl)-3-[1-phenyl-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,

2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl (R)-4-chlorophenyl)-carbamate,

2-4,4'-bipiperidinyl-1-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate,

2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate,

1-(2-chlorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,

1-(2-chlorophenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,

2-[1,4']bipiperidinyl-1'-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate,

2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)-carbamate,

2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate,

1-(2-chlorophenyl)-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxoethyl (R)-(4-chlorophenyl)carbamate,

2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate,

1-(2,3-difluorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,

1-(2-fluorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,

1-(2-methoxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,

and pharmaceutically usable salts and stereoisomers thereof, including mixtures thereof in all ratios.

22. (Previously Presented): A process for the preparation of a compound according to Claim 1, said process comprising

a) for the preparation of compounds

X denotes NH and

Y denotes O,

reacting a compound of formula II



II

with a compound of formula III

D-N=C=O III,

or

b) for the preparation of compounds

in which

X and Y denote O,

reacting a compound of formula IV



IV,

with a compound of formula V



V

in which

X and Y denote O, and

L denotes Cl, Br, I or a free or reactively functionally modified OH group,

and/or a base or acid of formula I is converted into one of its salts.

23. (Cancelled):

24. (Cancelled):

25. (Previously Presented): A pharmaceutical composition comprising a compound according to Claim 1, and one or more excipients and/or adjuvants.

26. (Previously Presented): A pharmaceutical composition comprising a compound according to Claim 1, and at least one further medicament active ingredient.

27. (Cancelled):

28. (Previously Presented): A kit comprising a first and second separate packs, said first pack containing an effective amount of a compound according to Claim 1, and said second pack containing an effective amount of a further medicament active ingredient.

29. (Cancelled):

30. (Previously Presented): A compound according to claim 1, wherein Q is absent.

31. (Previously Presented): A compound according to claim 30, wherein X is NR^3 and Y is O.

32. (Previously Presented): A compound according to claim 30, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O).

33. (Previously Presented): A compound according to claim 31, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O).

34. (Previously Presented): A compound according to claim 30, wherein R^1 is phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, or OA.

35. (Previously Presented): A compound according to claim 33, wherein R^1 is phenyl which is unsubstituted or mono-, di- or trisubstituted by Hal, OH, or OA.

36. (Previously Presented): A compound according to claim 30, wherein D is phenyl which is unsubstituted or mono- or disubstituted by Hal, A, hydroxyl, methoxy, ethoxy, hydroxycarbonyl, methoxycarbonyl or ethoxycarbonyl.

37. (Previously Presented): A compound according to claim 35, wherein D is phenyl which is unsubstituted or mono- or disubstituted by Hal, A, hydroxyl, methoxy, ethoxy, hydroxycarbonyl, methoxycarbonyl or ethoxycarbonyl.

38. (Previously Presented): A method of treating a patient suffering from thrombosis comprising administering to said patient an effective amount of a compound according to claim 1.

39. (Cancelled):

40. (Previously Presented): A compound according to claim 2, wherein T is piperidin-1- or 4-yl, which is unsubstituted or monosubstituted by A and/or carbonyl oxygen (=O).

41. (Previously Presented): A compound according to claim 40, wherein T is piperidinyl, 2-oxopiperidin-1-yl, or 2-oxopiperidin-4-yl, which in each case is optionally monosubstituted by A.

42. (Previously Presented): A compound according to Claim 21, wherein said compound is selected from:

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl]-urea,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl}urea bistrifluoroacetate,

(R,R)-1-(4-chlorophenyl)-3-{2-methoxy-1-[1-(1'-methyl-4,4'-bipiperidinyl-1-yl)-methanoyl]propyl}urea trifluoroacetate,

(R,R)-1-(4-chlorophenyl)-3-(1-{1-[4-(4-ethylpiperazin-1-yl)piperidin-1-yl]-methanoyl}-2-methoxypropyl)urea bistrifluoroacetate,

(R)-1-(2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea hydrochloride,

(R)-1-[2-4,4'-bipiperidinyl-1-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)-urea hydrochloride,

(R)-1-(2-4,4'-bipiperidinyl-1-yl-2-oxo-1-thiophen-2-ylethyl)-3-(4-chlorophenyl)urea hydrochloride,

(R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[1-(4-hydroxyphenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl]urea trifluoroacetate,

1-[2-[1,4']bipiperidinyl-1'-yl-1-(4-hydroxyphenyl)-2-oxoethyl]-3-(4-chlorophenyl)-urea,

(R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl]-urea trifluoroacetate,

(R)-1-(2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl)-3-(4-chlorophenyl)urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{1-(4-hydroxyphenyl)-2-[4-(4-methylpiperazin-1-yl)-piperidin-1-yl]-2-oxoethyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-thiophen-2-ylethyl]urea trifluoroacetate,

(R)-1-(2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-thiophen-2-ylethyl)-3-(4-chlorophenyl)urea trifluoroacetate,

(R)-1-(4-chlorophenyl)-3-{2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-thiophen-2-ylethyl}urea bistrifluoroacetate,

(R)-1-(4-chlorophenyl)-3-[2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]urea,

(R)-1-(4-chlorophenyl)-3-[2-(4,4'-bipiperidinyl-1-yl)-2-oxo-1-(2-chlorophenyl)ethyl]-urea,

(R)-1-(4-chlorophenyl)-3-[1-(2-chlorophenyl)-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,

(R)-1-(4-chlorophenyl)-3-[1-phenyl-2-(1'-methyl-2'-oxo-4,4'-bipiperidinyl-1-yl)-2-oxoethyl]urea,

2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxo-1-phenylethyl (R)-4-chlorophenyl)-carbamate,

2-4,4'-bipiperidinyl-1-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate hydrochloride,

2-4,4'-bipiperidinyl-1-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate hydrochloride,

1-(2-chlorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

1-(2-chlorophenyl)-2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

2-[1,4']bipiperidinyl-1'-yl-1-(2-chlorophenyl)-2-oxoethyl (R)-(4-chlorophenyl)-carbamate trifluoroacetate,

2-(4-morpholin-4-ylpiperidin-1-yl)-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)-carbamate trifluoroacetate,

2-[1,4']bipiperidinyl-1'-yl-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate trifluoroacetate,

1-(2-chlorophenyl)-2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxoethyl (R)-(4-chlorophenyl)carbamate bistrifluoroacetate,

2-[4-(4-methylpiperazin-1-yl)piperidin-1-yl]-2-oxo-1-phenylethyl (R)-(4-chlorophenyl)carbamate bistrifluoroacetate,

1-(2,3-difluorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate,

1-(2-fluorophenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate, and

1-(2-methoxyphenyl)-2-(1'-methyl-4,4'-bipiperidinyl-1-yl)-2-oxoethyl (R)-(4-chlorophenyl)carbamate.

43. (Previously Presented): A compound according to Claim 1, wherein T is cyclohexyl which is optionally mono-, di- or trisubstituted by =O, =S, =NH, $=NR^3$, $=NOR^3$, $=NCOR^3$, $=NCOOR^3$, $=NOCOR^3$, R^3, Hal, A, $-[C(R^3)_2]_n$-Ar, $-[C(R^3)_2]_n$-Het, $-[C(R^3)_2]_n$-cycloalkyl, OR^3, $N(R^3)_2$, NO_2, CN, $COOR^3$, $CON(R^3)_2$, NR^3COA, $NR^3CON(R^3)_2$, NR^3SO_2A, COR^3, SO_2NR^2 and/or $S(O)_nA$.

44. (Previously Presented): A compound according to Claim 43, wherein T is unsubstituted cyclohexyl.

45. (Previously Presented): A compound according to Claim 1, wherein T is

piperidinyl, which is optionally mono-, di- or trisubstituted by =O, =S, =NH, $=NR^3$, $=NOR^3$, $=NCOR^3$, $=NCOOR^3$, $=NOCOR^3$, R^3, Hal, A, $-[C(R^3)_2]_n$-Ar, $-[C(R^3)_2]_n$-Het, $-[C(R^3)_2]_n$-cycloalkyl, OR^3, $N(R^3)_2$, NO_2, CN, $COOR^3$, $CON(R^3)_2$, NR^3COA, $NR^3CON(R^3)_2$, NR^3SO_2A, COR^3, SO_2NR^2 and/or $S(O)_nA$.

46. (Previously Presented): A compound according to Claim 1, wherein T is piperazinyl which is optionally mono-, di- or trisubstituted by =O, =S, =NH, $=NR^3$, $=NOR^3$, $=NCOR^3$, $=NCOOR^3$, $=NOCOR^3$, R^3, Hal, A, $-[C(R^3)_2]_n$-Ar, $-[C(R^3)_2]_n$-Het, $-[C(R^3)_2]_n$-cycloalkyl, OR^3, $N(R^3)_2$, NO_2, CN, $COOR^3$, $CON(R^3)_2$, NR^3COA, $NR^3CON(R^3)_2$, NR^3SO_2A, COR^3, SO_2NR^2 and/or $S(O)_nA$.

47. (Previously Presented): A compound according to Claim 1, wherein T is morpholinyl which is optionally mono-, di- or trisubstituted by =O, =S, =NH, $=NR^3$, $=NOR^3$, $=NCOR^3$, $=NCOOR^3$, $=NOCOR^3$, R^3, Hal, A, $-[C(R^3)_2]_n$-Ar, $-[C(R^3)_2]_n$-Het, $-[C(R^3)_2]_n$-cycloalkyl, OR^3, $N(R^3)_2$, NO_2, CN, $COOR^3$, $CON(R^3)_2$, NR^3COA, $NR^3CON(R^3)_2$, NR^3SO_2A, COR^3, SO_2NR^2 and/or $S(O)_nA$.